

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DK <i>Due to large volume of codes, ranges are reported below.</i>
Administration of standardized health risk assessment instrument, with scoring and documentation; health hazard assessments			See note above	96160, 96161		
Adult aortic aneurysm screening	Ages 65-75	Covered in full for adults >50	See note above	76706		
Adult immunizations and vaccine administration	Adults \geq 19 years	Adults \geq 19 years of age covered in full	See note above	90619, 90620, 90621, 90632, 90636, 90649, 90650, 90651, 90669, 90670, 90685, 90689, 90696, 90697, 90698, 90703, 90707, 90710, 90714, 90715, 90716, 90718, 90732, 90733, 90734, 90736, 90739, 90740, 90746,		

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Asymptomatic bacteriuria in adults, screening	Covered in full for pregnancy	Covered in full for pregnancy	See note above	87081,87084, 87086 and 87088 - with Dx edit		O09.30-O09.93 O23.5 –O23.599 O30.0-O31.8X9 O36.80-O36.899 O90.89 Z34.00-Z34.93 Z72.51-Z72.53 Z01.411 Z01.419 Z01.42 Z11.3 Z12.4 Z20.2 Z33.1 Z36 Z5.78 O99.891 O99.892 O99.893
Behavioral counseling interventions for healthy weight and weight gain in pregnancy	Effective 11/1/21 No age limit. Frequency of 12 per cal year.	Effective 11/1/21 No age limit. Frequency of 12 per cal year.	See note above	97802, 97803, 97804, 99401, 99402, 99403, 99404 - with DX edit		Z34.01, Z34.02, Z34.03, Z34.8, Z34.80, Z34.81, Z34.82, Z34.83, Z34.9, Z34.90, Z34.91, Z34.92, Z34.93
Biopsy associated with a screening colonoscopy	Prior to 11/1/21, ages 50-75. As of 11/1/21, ages 45-75.	Prior to 11/1/21, ages 50-75. As of 11/1/21, ages 45-75.	See note above	88305, 88305-26 - with DX edit		C180-C182, C184-C189, D120-D126, K635, Z1211, Z78371, Z86010
Bowel prep agents related to colorectal cancer screening	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	See note above	Prescription required. Cost share removed by Pharmacy Benefits.		

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Breast and ovarian cancer susceptibility, genetic risk assessment and BRCA mutation testing based on family risk factors			See note above	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 96040, S0265, 99441, 99442, 99443 - with DX edit		Z15.01 Z15.02 Z31.430 Z31.440 Z31.5 Z80.0 Z80.3 Z80.41 Z80.49 Z80.8 Z84.81 Z85.3 Z85.43 Z85.89
Breast and ovarian cancer susceptibility, genetic risk assessment and BRCA mutation testing based on family risk factors - BRCA testing	Covered with a family history of breast, ovarian, tubal, or peritoneal cancer. Coverage extended to include a personal history of breast, ovarian, tubal, or peritoneal cancer.	Covered with a family history of breast, ovarian, tubal, or peritoneal cancer. Coverage extended to include a personal history of breast, ovarian, tubal, or peritoneal cancer.	See note above	81162, 81432, 81433, 81167 81211, 81212, 81213, 81214, 81215, 81216, 81217, 81163, 81164, 81165, 81166, 81167, 0129U, 0137U, 0138U, 0153U, 81307, 81308, 81309, 81522, 0172U, 0177U - with DX edit		Z15.01 Z15.02 Z31.430 Z31.440 Z31.5 Z80.0 Z80.3 Z80.41 Z80.49 Z80.8 Z84.81 Z85.3 Z85.43 Z85.89
Breast cancer screening			See note above	77065-77066 77063, 77067 G0202, G0204	3014F	Cost share removed for any dx that does not indicate breast cancer has already been diagnosed.

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Breast cancer screening - additional services added 2017 for NYS breast cancer screening legislation			May not apply to ASO.	76641-76642, 77046-77049, 77061-77062, G0279	3014F	Cost share removed for any dx that does not indicate breast cancer has already been diagnosed.
Breastfeeding support, supplies and counseling			See note above	E0603 purchase or rental E0604 RR for pump rental. A4281, A4282, A4283, A4284, A4285, A4286, K1005 for supplies. E0602		
Breastfeeding, primary care interventions to promote			See note above	S9443 (code for classes) S9445, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,99215 - with DX edit 99441, 99442 and 99443 - with DX edit		O92.3, O92.4, O92.5, O92.6, O92.70, O92.79, Z39.1
Cervical cancer screening if sexually active	1 per year	1 per year	See note above	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88154,88155, 88164, 88165, 88166, 88167, 88174, 88175 - with DX edit G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001 - no DX edit		Z12.4, Z01.411-Z01.42

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Chlamydial infection, screening			See note above	87270, 87320, 87800, 87801, 87810 with DX edit 87490, 87491, 87492 - no DX edit	4293F	O09.00-O09.299 O09.40-O09.43 O30.001-O30.019 O30.031-O30.93 O31.02X0-O31.02X9 O31.03X0-O31.03X9 O31.10X0-O31.10X9 O31.11X0-O31.11X9 O31.12X0-O31.12X9 O31.13X0-O31.13X9 O31.20X0-O31.20X9 O31.21X0-O31.21X9 O31.22X0-O31.22X9 O31.23X0-O31.23X9 O31.30X0-O31.30X9 O31.31X0-O31.31X9 O31.32X0-O31.32X9 O31.33X0-O31.33X9 O31.38X10-O31.8X99 Z00.00-Z00.00 Z01.411-Z01.42 Z11.3-Z11.3 Z11.8-Z11.8 Z12.4-Z12.4 Z20.2-Z20.2 Z33.1-Z33.1 Z34.00-Z36. Z57.8 Z72.51-Z72.53
Cologuard - same criteria as applies for colonoscopies	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	See note above	81528 - with Dx edit		Z12.12, Z12.10, Z12.11, Z12.13 Family history: Z80.0 Z83.71

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Colonoscopy consultation performed prior to a screening colonoscopy procedure	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	See note above	S0285		
Colorectal cancer screening Fecal occult blood testing: annual Sigmoidoscopy: every 5 years Colonoscopy: every 10 years	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	Prior to 11/1/21, ages 50+. As of 11/1/21, ages 45+.	See note above	00810, 00811, 00812, 00813, 82270, 82274, 88305, 45330, 45331, 45332, 45333, 45334, 45335, 45337, 45338, 45339, 45340, 45341, 45342, 45345, 44388, 44389, 44390, 44391, 44392, 44393, 44394, 44397, 45355, 45378, 45379, 45380, 45381, 45382, 45383, 45384, 45385, 45386, 45387, 45391, 45392, 74263, S0601 - with DX edit G0104, G0105 , G0121, G0328 - no DX edit G0500, 99151, 99152 and 99153 - with DX edit 44401, 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45346, 45347, 45349, 45350, 45388, 45389, 45390, 45393, 45398, G6019, G6020, G6022, G6023, G6024, G6025 - with Dx edit		Z12.12, Z12.10, Z12.11, Z12.13 Family history: Z80.0 Z83.71
Congenital hypothyroidism screening (Newborns)	Covered in full for infants less than one year of age	Covered in full for infants less than one year of age	See note above	84436, 84437, 84439, 84443, 84479, S3620 - with DX edit		Z13.29

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Contraceptive methods and counseling			See note above	58600, 58605, 58611, 58615, 58670, 58671, 57170, 58300, 58301, 58565, 58615, A4261, A4264 (only billable by facility), A4266, A4268 (NC), A4269 (NC), J1050, J7296, J7297, J7298, J7300, J7301, J7307, J7294, J7295, S4981, S4989, S4993 - No DX edit 11981, 11982 and 11983 with Dx edit Contraceptives thru pharmacy vendor 00840, 00851. 00952, 00400 with Dx edit 96372 - with Dx edit 99201 99202 99203 99204 99205 99211 99212 99213 99214 99215 99384 99385 99386 99387 99394 99395 99396 99397 - with DX edit 11976 - No DX edit		Z30.011, Z30.012 Z30.013, Z30.014 Z30.018, Z30.019 Z30.02, Z30.09 Z30.2, Z30.40 Z30.41, Z30.42 Z30.430, Z30.431 Z30.432, Z30.433, Z30.46, Z30.49, Z30.8 Z30.9, Z31.0 Z31.42, Z72.51 Z72.52, Z72.53 Z79.818, Z92.0 Z92.23, Z98.51 Z30-Z30.9, Z31.89, Z31.9, Z32.02, Z13.9, N91-N91.5, N92-N92.6, G43.82, G43.821, G43.829, Z45.89, Z45.9, Z97.5, Z11.3, Z11.4, Z11.51, Z11.59
Counseling on sexually transmitted infections (STIs)			See note above	No specific codes. Part of visit.		
Daily supplement of folic acid	Ages < 63	Ages < 63	See note above	Will be billed with NDC to pharmacy (script required) but paid as medical benefit		

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Depression (Adults) screening (When staff-assisted depression care supports are in place) Major depressive disorders in adolescents, screening			See note above	Generally part of visit and not coded separately. G0444, 96127	1220F, 3351F, 3352F, 3353F, 3354F with visit	
Diet, behavioral counseling in primary care for adults with hyperlipidemia and other risk factors	Covered for ages 18+ with hyperlipidemia and other risk factors.	Covered for ages 18+ with hyperlipidemia and other risk factors.	See note above	97802, 97803, 97804, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, S9452, S9470, G0270, G0271, G0108, G0109, S9140, S9141, S9455, S9460, S9465, S9449, 0403T, 99441, 99442, 99443 with DX edit G0446 - No DX edit		Z71.3 Z83.2
Discuss chemoprevention when at high risk for breast cancer			See note above	Generally part of visit and not coded separately.		
Flu vaccine and vaccine administration			See note above	90630, 90653, 90654, 90655, 90656, 90657, 90658, 90660, 90661, 90662, 90672, 90673, 90674, 90682, 90686, 90687, 90688, 90460, 90461, 90471, 90472, 90473, 90474, 90694 90756, G0008, Q2034, Q2035, Q2036, Q2037, Q2038, Q2039		
Fluoride supplementation in children	1mg and below for ages 6 months to <17 years	1mg and below for ages 6 months to <17 years	See note above	Will be billed with NDC to pharmacy (script required) but paid as medical benefit		
Fluoride varnish when applied by a PCP / Pediatrician	Ages 0-18	Ages 0-18	See note above	99188		

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Gonorrhea screening			See note above	87590, 87591, 87592 - no DX edit 87800, 87801, 87850 - with DX edit	3511F, 4293F	O09.00-O09.93 O30.001-O03.103X9 O311.0X1-O31.8X99 Z01.411-Z01.42 Z11.3 Z12.4 Z20.2 Z33.1 Z57.8 Z72.51
Gonorrhea, prophylactic eye medication, (Newborns)			See note above	Done at delivery; part of inpatient stay		
Hearing loss in newborns, screening	Ages < 1	Ages < 1	See note above	92587, 92558, 92588, and 92650		
Hepatitis B virus infection, screening	Covered in full for pregnancy; Covered in full for adults and adolescents at high risk	Covered in full for pregnancy; Covered in full for adults and adolescents at high risk	See note above	G0499, 80055, 80081 and 87340 - No DX edit 86704, 86705, 86706, 86707, 87341, 87350, 87515, 87516, 87517, 87912 - with DX edit	3216F, 3513F	O09.00-O09.93 O30.001-O03.103X9 O31.10X1-O31.8X99 Z01.411-Z01.42 Z11.3 Z11.4 Z12.4 Z20.2 Z20.5 Z20.6 Z33.1 Z34.00-Z34.93 Z36 Z57.8 Z72.51-Z72.53
High blood pressure screening Blood pressure screening to detect pre eclampsia (covered pre and post ACA)	Ages 18+	Ages 18+	See note above	93784, 93786, 93788, 93790- with Dx edit	2000F, 3074F, 3075F, 3077F, 3078F, 3079F, G8477 billed with E and M code	Z0131, Z00110, Z00111, Z00121, Z00129, Z0000, Z0001

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
HIV counseling and screening			See note above	Screening is already covered for some . No specific codes for counseling. Part of visit.		
HIV screening (At risk and during pregnancy)			See note above	G0432, G0433, G0435, G0475, 86701, 86702, 86703- No DX edit 86689, 87390,87391, 87534, 87535, 87536, 87537, 87538, 87539, 87901, 87903, 87904, 87906 - with DX edit		O09.00-O09.93 O30.001-O03.103X9 O31.10X1-O31.8X99, 036.80X0 - 036.80X9, Z01.411-Z01.42 Z11.3 Z11.4 Z12.4, Z20.2 Z20.6 Z33.1, Z34.00-Z34.93, Z36 Z57.8, Z72.51 - Z72.53
Human Papillomavirus Testing	>29 every 3 years covered in full Copay applies if performed before three years.	>29 every 3 years covered in full Copay applies if performed before three years.	See note above	87623, 87624, 87625 - with DX edit G0476 - No DX edit		Z01.411 Z01.419 Z11.51 Z12.4 Z12.72
Iron deficiency anemia, screening	Covered in full during pregnancy	Covered in full during pregnancy	See note above	80055, 8008, 85013, 85014, 85018, 85025, 85027, 83540 - with DX edit		O09.00-O09.93 O30.001-O03.18X99 Z33.1 Z34.00-Z36
Lab work ordered as part of a routine physical or routine ob/gyn visit	Lab tests within 30 days of routine physical covered in full		See note above			DX to match that of routine physical

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Maternal depression screening			See note above	96160, 96161, 96127, G0444		
Medications to reduce the risk of breast cancer (Tomoxifen and Raloxifene)	Ages 35+ with no prior history of a diagnosis of breast cancer, and high risk	Ages 35+ with no prior history of a diagnosis of breast cancer, and high risk	See note above	Paid under pharmacy benefit. Prescription is required. Prior approval is required.		
Obesity in adults screening and intensive counseling and behavioral interventions - Abnormal blood glucose screening	Age 40-70	Age 40-70	See note above	83036, 82947 - with DX edit		E66.09, E66.1, E66.8, E66.9, E66.01, E66.3, E66.2
Obesity in adults screening and intensive counseling and behavioral interventions Screening and counseling for obesity: children		Age \geq 6	See note above	97802, 97803, 97804, G0270, G0271, G0447, G0473, S9452, S9470, S9449 - with DX edit		Z68.30-Z68.45 Z68.54 E66.09, E66.8, E66.9, E66.01, E66.2
Osteoporosis screening (Includes DEXA and/or bone density testing (BMD))			See note above	77078, 77080, 77081, 77083, 77085, 77086, 78350, 78351, 76977, G0130, 0554T, 0555T, 0556T, 0557T, 0558T - with DX edit		Z13.820 Z78.0 Z79.890
Phenylketonuria, screening newborn	Covered in full for newborns <30 days old	Covered in full for newborns <30 days old	See note above	84030 - with DX edit S3620 - no DX edit		Z13.228
Pre-exposure prophylaxis (PrEP) for HIV prevention: Rx			See note above	Obtained at pharmacy, prescription required		
Pre-exposure prophylaxis (PrEP) for HIV prevention: Kidney testing			See note above	84520, 82043, 82565, 82570, 82575, 80069, 82040, 82310, 82374, 82435, 82565, 82947, 84100, 84132, 84295 - with DX edit		Z11.4 Z20.6
Pre-exposure prophylaxis (PrEP) for HIV prevention: Pregnancy testing			See note above	81025 - with DX edit		Z11.4 Z20.6

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Prevention of Falls in Community-Dwelling Older Adults: Exercise or physical therapy	Covered for adults >= 65 years old who are at increased risk for falls that are not living in an assisted living arrangement or confined to a facility	Covered for adults >= 65 years old who are at increased risk for falls that are not living in an assisted living arrangement or confined to a facility	See note above	97039, 97110, 97112, 97113, 97116, 97139, 97150, 97161, 97162, 97163, 97164, 97165, 97166, 97167, 97168, 97530, G0157, G0159 - with Dx edit		Use appropriate fall prevention dx coding
Prolonged preventative services			See note above	G0513, G0514		
Prostate Cancer Screening incl PSA Testing			See note above	84152, 84153, 84154 \$0 cost share for all diagnosis codes with the exception of C61, D07.5, D40.0 G0102, G0103 - no DX edit		All dx codes with the EXCEPTION of C61, D07.5, D40.0
Rh (D) incompatibility, screening	Covered in full for pregnancy	Covered in full for pregnancy	See note above	80055, 80081, 86901 - with DX edit		O09.00-O09.93 O30.001-O03.103X9 O31.10X1-O31.8X99 O36.80X0 - O36.80X9, Z01.411-Z01.42 Z11.3. Z12.4 Z20.2 Z33.1 Z34.00-Z34.93, Z36, Z57.8 Z72.51 - Z72.53
Routine OB/GYN visit - includes counseling for contraception	2 exams per year		See note above	99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99211-99215, 99441, 99442, 99443 - with DX edit Q0091, Q0111, G0101, S0610, S0612, S0613 - no DX edit		Z01.411 Z01.419 Z01.42 Z11.51 Z12.4 Z12.72

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Routine physical and/or counseling	Ages 19+ 1 exam per calendar year	Ages 19-21 1 exam per calendar year	See note above	99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99460, 99461, 99463, G0402, 99401, 99402, 99403, 99404, 99406, 99407, 99408, 99409, G0438, G0439		
Routine vision exam	1 every 2 yrs 1 per year for under 14 with diagnosed refractive error Not covered for adults under Standard Plans and Healthy NY		See note above	S0620, S0621, 92002, 92004, 92012, 92014, 92015 - with DX edit		H52.00 H52.01 H52.02 H52.03 H52.10 H52.11 H52.12 H52.13 H52.201 H52.202 H52.203 H52.209 H52.211 H52.212 H52.219 H52.22 H52.221 H52.223 H52.31 H52.32 H52.4 Z0100 Z0101
Screening and counseling for interpersonal and domestic violence			See note above	No specific codes. Part of visit.		
Screening for cholesterol abnormalities			See note above	80061, 82465, 83700, 83701, 83704, 83718, 83721, 84478, 0052U - with DX edit	3011F, 3048F, 3049F, 3050F, G8593	Z13.220

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Screening for gestational diabetes	Covered in full for pregnancy	Covered in full for pregnancy	See note above	82950, 82951, 82952 - with Dx edit		Z13.1 , Z33.1 Z340.1 , Z34.02 Z34.03, Z34.80 Z34.81, Z34.82 Z34.83, Z34.90 Z34.91 , Z34.92 Z34.93, Z86.32, O09.291 O09.00 , O09.01 O09.02 , O09.03 O09.10 , O09.011 O09.012 , O09.13 O09.40 , O09.41 O09.42 , O09.43 O09.211 , O09.212 O09.213 , O09.219 O09.10 , O09.11 O09.12 , O09.13 O09.291 , O09.292 O09.293 , O09.299
Screening for Hepatitis C virus infection in adults	Ages 18+	Ages 18+	See note above	86803, 86804, G0472		
Screening for lung cancer	Ages 50-80 One screening per plan year.	Ages 50-80 One screening per plan year.	See note above	71271, G0296		
Sexually transmitted infections, counseling (at risk adolescents and adults)			See note above	99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245 99441, 99442, 99443 - with DX edit G0445 - no DX edit		Z71.7 Z71.89 Z72.51 Z72.52 Z72.53

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Sickle cell disease, screening newborns	Covered in full for newborns <30 days old	Covered in full for newborns <30 days old	See note above	Part of DRG 83020, 83021 - with DX edit S3620 - no DX edit		Z13.0
Skin cancer behavioral counseling			See note above	Generally part of visit and not coded separately.		
Statin drugs to prevent CVD	Ages 40-75	Ages 40-75	See note above	Obtained at pharmacy, prescription required		
Syphilis infection screening (at risk and all pregnant individuals)			See note above	80055, 80081, 86592, 86593, 86780, 0210U - with DX edit	3512F	O09.00-O09.93 O30.001-O03.103X9 O31.10X1-O31.8X99 O36.80X0 - O36.80X9 Z01.411-Z01.42 Z11.3. Z12.4 Z20.2 Z33.1 Z34.00-Z34.93 Z36 Z57.8 Z72.51 - Z72.53
Tobacco cessation medications			See note above	Obtained at pharmacy, prescription required.		
Tobacco use and tobacco-caused disease, counseling			See note above	99406, 99407		
Tuberculosis screening	Ages 18+	Ages 18+	See note above	86480, 86481, 86580		
Type 2 diabetes mellitus in adults, screening with sustained blood pressure			See note above	83036, 82947 - with DX edit	3074F, 3075F, 3077F, 3078F, 3079F, 3080F	Z131

Recommendation	Expanded Covered Limitations Commercial Business	Strict Covered Limitations <i>May be used by standard plans and some ASO groups</i>	ASO Limitations. <i>Based on the flexibility of ASO products, limitations may vary based on individual group. Please contact customer service with questions on limitations.</i>	CPT/HCPCs Codes	Reporting Codes	ICD10DX <i>Due to large volume of codes, ranges are reported below.</i>
Visual Impairment in Children Younger than 5 Years, screening	Age is less than or equal to age 5	Age is less than or equal to age 5	See note above	99173 - with DX edit		H52.00 , H52.01 H52.02 , H52.03 H52.10 , H52.11 H52.12 , H52.13 H52.201 , H52.202 H52.203 , H52.209 H52.211 , H52.212 H52.219 H52.22,H52.221 H52.223 , H52.31 H52.32, H52.4 Z00.1, Z01.01
Well child vaccines and vaccine administration, lab and developmental testing			See note above	Refer to Well Child Guidelines for vaccines		
Well child visits			See note above	Refer to Well Child Guidelines		